

Trade name : Revision date : Print date : Micro 2000 Shampoo 13-08-2014 01-10-2014

Version (Revision) : 2.0.1 (2.0.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Micro 2000 Shampoo (R901) 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Washing and cleaning products (including solvent based products) Uses advised against This product should not be used for purposes other than the applications referred to above. **1.3** Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Americol BV Street: Sluispolderweg 33 Postal code/city: 1505 HJ Zaandam Telephone: +31 (0)75-6313244 Telefax: +31 (0)75-6313265 Information contact : Rene Doornink Website : www.americol.nl E-mail (competent person): r.doornink@americol.nl 1.4 Emergency telephone number

+31 (0)75-6313244 (08:00 - 16:30 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Hazard statements H318 Causes serious e

Causes serious eye damage.

Page : 1 / 8



Trade name :	Micro 2000 Shampoo		
Revision date :	13-08-2014	Version (Revision) :	2.0.1 (2.0.0)
Print date :	01-10-2014		

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P310	Immediately call a POISON CENTER/doctor/
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.

2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Hazardous ingredients

nazaraous mgreatents	
DISTILLATES (PETROLEUM), HYDRC 47-8	TREATED LIGHT / KEROSINE - UNSPECIFIED ; EC No. : 265-149-8; CAS No. : 64742-
Weight fraction :	10 - 25 %
Classification 67/548/EEC :	Xn ; R65
Classification 1272/2008 [CLP] :	Asp. Tox. 1 ; H304
C9-11 ALCOHOL ETHOXYLATE ; CAS	No. : 68439-46-3
Weight fraction :	5 - 10 %
Classification 67/548/EEC :	Xi ; R41
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318
FATTYAMIDE DEA ; EC No. : 202-28	1-7; CAS No. : 93-83-4
Weight fraction :	3 - 5 %
Classification 67/548/EEC :	Xi ; R41 Xi ; R38
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315
OLEYLAMINE ETHOXYLATE ; EC No.	: 500-048-7; CAS No. : 26635-93-8
Weight fraction :	1 - 2,5 %
Classification 67/548/EEC :	N;R50 Xi;R41 Xn;R22 Xi;R38
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400
Additional information	
Full text of R-, H- and EUH-phrases:	see section 16.

3.3 Components according to regulation (EG) Nr. 648/2004

aliphatic hydrocarbons	5 - < 15	%
non-ionic surfactants	5 - < 15	%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

In case of inhalation

No special measures are necessary.

In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior



Trade name :	
Revision date :	
Print date :	

Micro 2000 Shampoo 13-08-2014 01-10-2014

Version (Revision) : 2.0.1 (2.0.0)

to re-use.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantitiy of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

None

- 5.2 Special hazards arising from the substance or mixture None
- 5.3 Advice for firefighters
- 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage



Trade name : Revision date : Print date : Micro 2000 Shampoo 13-08-2014 01-10-2014

Version (Revision) :

2.0.1 (2.0.0)



7.1 Precautions for safe handling

None

7.2 Conditions for safe storage, including any incompatibilities Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

Hints on joint storage

Storage class: 12 Storage class (TRGS 510): 12

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

OXYDIPROPANOL ; CAS No. : 25265-71-8

Limit value type (country of origin) :	TRGS 900 (D)
Parameter :	E: inhalable fraction
Limit value :	67 mg/m ³
Peak limitation :	2(II)
Remark :	Н, Ү
Version :	01-09-2012

8.2 Exposure controls

Personal protection equipment



Eye/face protection

Eye glasses with side protection

Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms DIN EN 374 DIN EN 420 Suitable gloves type NBR (Nitrile rubber) PVA (Polyvinyl alcohol) PVC (Polyvinyl chloride)

General health and safety measures

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.



Trade name : Revision date : Print date : Micro 2000 Shampoo 13-08-2014 01-10-2014

Version (Revision) :

2.0.1 (2.0.0)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Colour: light brown
- Odour: odourless

Safety relevant basis data

barcey relevant babis aate	•			
Physical state :			liquid	
Melting point/melting range :			not applicable	
Boiling temperature/boiling range :	(1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Freezing point :			No data available	
Flash point :			not applicable	
Auto-ignition temperature :			No data available	
Lower explosion limit :				Vol-%
Upper explosion limit :				Vol-%
Vapour Pressure :	(20 °C)		No data available	
Evaporation rate (n-butylacetate = 1) :			No data available	
Density :	(20 °C)	ca.	0,99	g/cm ³
Water solubility :	(20 °C)		emulsifies	
PH value :			8	
Partition coefficient (n- octanol/water) :		<	3	
Viscosity :	(20 °C)	<	10	mPa.s
Vapour density (air = 1) :	(101 kPa)		No data available	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

not applicable

10.2 Chemical stability Stable under normal conditions of use

10.3 Possibility of hazardous reactions No information available.

10.4 Conditions to avoid No information available.

- **10.5 Incompatible materials** Strong oxidizers
- **10.6 Hazardous decomposition products** No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects Irritant and corrosive effects



Trade name : Revision date : Print date : Micro 2000 Shampoo 13-08-2014 01-10-2014

Version (Revision) : 2.0.1 (2.0.0)

Primary irritation to the skin Irritant. Irritation to eyes Irritant. Irritation to respiratory tract No data available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP. **Germ cell mutagenicity/Genotoxicity**

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Specific target organ toxicity (single exposure)

not applicable

Specific target organ toxicity (repeated exposure)

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

SECTION 12: Ecological information

12.1 Toxicity

Harmless to aquatic organisms up to the tested concentration

12.2 Persistence and degradability Biodegradable.

- 12.3 Bioaccumulative potential
 - No indication of bioaccumulation potential.

12.4 Mobility in soil No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

12.7 Further ecological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

No dangerous goods in sense of this transport regulation.



Trade name :	Micro 2000 Shampoo
Revision date :	13-08-2014
Print date :	01-10-2014

Version (Revision) : 2.0.1 (2.0.0)

14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

14.4 Packing group

No dangerous goods in sense of this transport regulation.

14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Technische Anleitung Luft (TA-Luft) Weight fraction (Number 5.2.5. I) : < 5 % Water hazard class (WGK)

 $Class: 2 \ (Hazardous \ to \ water) \quad Classification \ according \ to \ VwVwS$

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 08. Occupational exposure limit values

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

16.5 Relevant R-, H- and EUH-phrases (Number and full text)

iterevane it / ii	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
22	Harmful if swallowed.
38	Irritating to skin.
41	Risk of serious damage to eyes.
50	Very toxic to aquatic organisms.

65 Harmful: may cause lung damage if swallowed.

16.6 Training advice



Trade name : Revision date : Print date : Micro 2000 Shampoo 13-08-2014 01-10-2014

Version (Revision) :

2.0.1 (2.0.0)

None 16.7 Additional information Article No.: 901

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.